



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006102699

Filing Deadline: January 15, 2014

FRN: 0015991664

Filing Date: 01/15/2014 04:04 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: PR Wireless Inc.

Brand Names: Open Mobile

PO Box:

Street Address: 1 Street, Suite 300, Chrysler Bldg., Metro Office Park

City: Guaynabo

State: PR

Zip Code: 00968

Contact Name: Adrian Gonzalez

Contact Phone: (787) 554-6736

Contact Fax: (787) 295-0101

Contact Email: adrian.gonzalez@openmobilepr.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Only the Samsung Galaxy S III does not include labeling. The rating is posted at our website.

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.openmobilepr.com](http://www.openmobilepr.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Open Mobile's compliant handset models are publicly identified for consumers. Compliant models are listed on Open Mobile's website, which also includes a complete explanation of the hearing-aid ratings and capabilities. Also Open Mobile educate its retail sales people regarding digital wireless capabilities and hearing-aid compliance.

### Methodology for Functionality Levels

Open Mobile's handset offering are divided into five (5) categories considering their characteristics, features and retail prices. These categories go from a Low Tier category to a Smartphone category. Each category and category subdivision is assigned a letter and a number based on functionality levels and hearing-aid capabilities. Categories range from A1 to E6. For example, the Low Tier handsets are A1 for those handsets rated at least M3 but not T3, and A2 those handsets rated T3 and M3. For Medium and higher categories, functionality levels are assigned accordingly.

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 28

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	25	89%	2	7%	1	4%		28

## Handset 1: Alcatel 909B

### Handset Maker

Alcatel

### Handset Model Name

909B

### FCC ID

RAD210

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Dates

This handset model was offered from: 04/12 to 12/13

### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

E3

### Remarks

---

## Handset 2: Apple iPhone 4S

### Handset Maker

Apple

### Handset Model Name

iPhone 4S

### FCC ID

BCG-E2430A

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 03/13

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

N/A

#### Remarks

---

### Handset 3: Apple iPhone 5

#### Handset Maker

Apple

#### Handset Model Name

iPhone 5

#### FCC ID

BCG-E2599A

#### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

#### Dates

This handset model was offered from: 05/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 4: Apple iPhone 5c

#### Handset Maker

Apple

#### Handset Model Name

iPhone 5c

#### FCC ID

BCG-E2644A

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/13

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E4

**Remarks****Handset 5: Apple iPhone 5s****Handset Maker**

Apple

**Handset Model Name****FCC ID**

iPhone 5s

BCG-E2642A

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/13

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E4

#### Remarks

---

### Handset 6: Coolpad Quattro II 4G

#### Handset Maker

Coolpad

#### Handset Model Name

Quattro II 4G

#### FCC ID

R38YL801EM

#### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/13 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E5

#### Remarks

---

### Handset 7: HTC Acquire

#### Handset Maker

HTC

#### Handset Model Name

Acquire

#### FCC ID

NM8PH44100

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/11 to 01/13

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks**

---

**Handset 8: HTC Desire 4G****Handset Maker**

HTC

**Handset Model Name****FCC ID**

Desire 4G

NM8PJ53100

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/13

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 9: HTC Desire C

#### Handset Maker

HTC

#### Handset Model Name

Desire C

#### FCC ID

NM8PL01210

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 10: HTC One V

#### Handset Maker

HTC

#### Handset Model Name

One V

#### FCC ID

NM8PK76300

#### Air Interfaces/Frequency Bands



1900 MHz CDMA

#### Dates

This handset model was offered from: 11/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 11: Huawei M735

#### Handset Maker

Huawei

#### Handset Model Name

M735

#### FCC ID

QISM735

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 03/12 to 01/13

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

D5

#### Remarks

---

### Handset 12: Huawei M835

#### Handset Maker

Huawei

#### Handset Model Name

M835

#### FCC ID

QISM835

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/11 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E5

#### Remarks

---

### Handset 13: Huawei M886

#### Handset Maker

Huawei

#### Handset Model Name

M886

#### FCC ID

QISM886

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 08/12 to 01/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 14: Kyocera E3100 Rio

#### Handset Maker

Kyocera

#### Handset Model Name

E3100 Rio

#### FCC ID

OVF-K5402

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/10 to 06/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

B5

#### Remarks

---

### Handset 15: Kyocera Milano

#### Handset Maker

Kyocera

#### Handset Model Name

Milano

#### FCC ID

OVFC51213CD

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/11 to 01/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 16: Kyocera S2100 Luno

#### Handset Maker

Kyocera

#### Handset Model Name

S2100 Luno

#### FCC ID

OVF-K5502

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 01/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 17: LG 510 Prestige Touch

#### Handset Maker

LG

#### Handset Model Name

510 Prestige Touch

#### FCC ID

BEJVM510

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 05/12 to 01/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

B6

#### Remarks

---

### Handset 18: LG AS695 OPTIMUS PLUS

#### Handset Maker

LG

#### Handset Model Name

AS695 OPTIMUS PLUS

#### FCC ID

ZNFMS695

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 08/12 to 09/13

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E5

#### Remarks

---

### Handset 19: LG L75C

#### Handset Maker

LG

#### Handset Model Name

L75C

#### FCC ID

BEJVS700

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 09/13 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 20: LG Optimus F5

#### Handset Maker

LG

#### Handset Model Name

Optimus F5

#### FCC ID

ZNFVS870

#### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

#### Dates

This handset model was offered from: 08/13 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E5

#### Remarks

---

### Handset 21: Pantech ADR8995(Breakout)

#### Handset Maker

Pantech

#### Handset Model Name

#### FCC ID

ADR8995(Breakout)

JYCAPACHE

#### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

#### Dates

This handset model was offered from: 08/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 22: Pantech ADR910L (Marauder)

#### Handset Maker

Pantech

#### Handset Model Name

#### FCC ID

ADR910L (Marauder)

JYCSTARQ



**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/13

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 23: Samsung Galaxy S4****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Galaxy S4

A3LSCHR970

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 09/13 to 12/13

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E1

#### Remarks

---

### Handset 24: Samsung Galaxy SIII

#### Handset Maker

Samsung

#### Handset Model Name

Galaxy SIII

#### FCC ID

A3LSCHI535

#### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E6

#### Remarks

---

### Handset 25: Samsung R261

#### Handset Maker

Samsung

#### Handset Model Name

R261

#### FCC ID

A3LSCHR261A

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/13

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

A6

**Remarks**

---

**Handset 26: Samsung R270****Handset Maker**

Samsung

**Handset Model Name**

R270

**FCC ID**

A3LSCHR270

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 06/13 to 12/13

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

A6

#### Remarks

---

### Handset 27: Samsung R680

#### Handset Maker

Samsung

#### Handset Model Name

R680

#### FCC ID

A3LSCHR680

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 04/12 to 12/13

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E2

#### Remarks

---

### Handset 28: ZTE Groove (X501)

#### Handset Maker

ZTE

#### Handset Model Name

Groove (X501)

#### FCC ID

Q78-X501

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Dates

This handset model was offered from: 09/13 to 12/13

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

E5

### Remarks

---

## Certification

### This Report has been certified by:

Federico Grosso CFO  
01/15/2014 04:04 PM